## Frequently Asked Questions

## 3/63 Leyte Avenue, Palm Beach

WHY ARE YOU SELLING	Downsizing Investment Portfolio
LAND SIZE	63 m²
YEAR BUILT	1976
HOW MANY UNITS ARE IN THE COMPLEX	4
WHEN DID THE SELLER PURCHASE THE PROPERTY	11 July 1992
IS THE PROPERTY TENANTED?	No
IS THE PROPERTY SEWERED OR SEPTIC	Sewered
IS THE COOKTOP GAS, ELECTRIC OR INDUCTION	Electric
IS THERE SOLAR ENERGY	No
TYPE OF HOT WATER SYSTEM	Electric Hot Water System 125L
LOCATION OF HOT WATER SYSTEM	In cupboard
IS THERE WATER STORAGE	No
AIR CONDITIONING	1x split system
IS THERE INTERNET CONNECTION	Unsure
WHAT IS THE CEILING HEIGHT	2.4m
WHAT IS THE ZONING	Medium Density Residential
WHAT ARE THE COUNCIL & WATER RATES	Council Rates: \$3,471 per annum. Water Rates: \$1,579 per annum.
WHAT ARE THE BODY CORPORATE RATES	\$88.46 per week.
WHAT IS THE SINKING FUND BALANCE	\$ 26,564.63 as at 1 August 2025
ARE PETS ALLOWED IN THE COMPLEX	Upon Body Corporate approval
IS THERE A BUILDING & PEST REPORT AVAILABLE	No

ARE THERE ANY EASEMENTS ON THE LAND	No
SCHOOL CATCHMENT	Currumbin State School - Prep to year 6 Palm Beach-Currumbin State High School - Year 7 to year 12
RENTAL APPRAISAL	\$600 per week.
IS THERE A SECURITY SYSTEM	No