



Telephone: 1300 463 954

Please Quote: DA61650/2021

SiteDesign Studios
4 Cole Ave
BAULKHAM HILLS NSW 2153

pete@sdstudios.com.au

Notice of Determination of a Development Application
issued under the *Environmental Planning and Assessment Act 1979*
section 4.18(1)(a)

Application Number: DA61650/2021 Part 1
Applicant: SiteDesign Studios
Property: LOT: 33 DP: 771598 , 1 Crestside Close TERRIGAL NSW 2260
Proposal: Alterations to Existing Dwelling

Date from which this consent operates

In accordance with section 4.20, 8.13 of the *Environmental Planning and Assessment Act 1979*, this consent becomes effective and operates from the date of this notice.

Consent to operate from

7 October 2021

Consent to lapse on

7 October 2026

Imposition of conditions

In accordance with section 4.17 of the *Environmental Planning and Assessment Act 1979*, this consent has been granted subject to conditions of this consent.

Review of Determination

In accordance with section 8.2, 8.3, 8.4, 8.5 of the *Environmental Planning and Assessment Act 1979*, the applicant may make an application seeking a review of this determination, providing it is made in time for Council to determine the review within six (6) months of this determination.

Right of Appeal


Section 8.7, 8.10 of the *Environmental Planning and Assessment Act 1979* confers on an applicant, who is dissatisfied with the determination of a consent authority, a right of appeal to the Land and Environment Court within six (6) months from the date of determination. To ascertain the date upon which the determination becomes effective refer to section 4.20, 8.13 of the Act.

For further information contact Central Coast Council Customer Service Unit on 1300 463 954.

On behalf of the consent authority

David Farmer

Chief Executive Officer

A handwritten signature in black ink, appearing to read "M. Earl". The signature is written in a cursive, slightly stylized font.

Per:

Date: 07/10/2021

Conditions

1. PARAMETERS OF THIS CONSENT

1.1 Approved Plans and Supporting Documents

Implement the development substantially in accordance with the plans and supporting documents listed below as submitted by the applicant and to which is affixed a Council stamp "*Development Consent*" unless modified by any following condition.

Architectural Plans by: Site Design + Studios

Drawing	Description	Sheets	Issue	Date
2055	Architectural Drawings	6	D	6/10/21

Supporting Documentation:

Nil

- 1.2** Carry out all building works in accordance with the National Construction Code Series, Building Code of Australia, Volume 1 and 2 as appropriate.

2. PRIOR TO ISSUE OF ANY CONSTRUCTION CERTIFICATE

- 2.1** All conditions under this section must be met prior to the issue of any Construction Certificate.
- 2.2** No activity is to be carried out on-site until the Construction Certificate has been issued, other than:
- Site investigation for the preparation of the construction, and / or
 - Implementation of environmental protection measures, such as erosion control and the like that are required by this consent
 - Demolition
- 2.3** Assessment of the development against the provisions of Planning for Bush Fire Protection (2019) (NSW) has determined a Bush Fire Attack level (BAL) of low.
- 2.4** Submit engineering details prepared and certified by a practising structural engineer that comply with *Council's Building Over or Adjacent To Sewer and Water Main Guidelines* to the satisfaction of Council. Engineering details must be submitted to Council's Water Assessment Team for approval. Plan assessment fees apply.
- 2.5** Submit an application to Council under section 305 of the Water Management Act 2000 for a section 307 certificate of compliance. The Application form can be found on Council's website centralcoast.nsw.gov.au. Early application is recommended.

The section 305 application will result in a section 306 letter of requirements which must be obtained prior to the issue of any Construction Certificate. The requirements letter will outline which requirements must be met prior to each development milestone eg. prior to construction certificate, subdivision works certificate, occupation certificate and/or subdivision certificate.

3. PRIOR TO COMMENCEMENT OF ANY WORKS

- 3.1** All conditions under this section must be met prior to the commencement of any works.
- 3.2** Appoint a Principal Certifier for the building work:
- a. The Principal Certifier (if not Council) is to notify Council of their appointment and notify the person having the benefit of the development consent of any critical stage inspections and other inspections that are to be carried out in respect of the building work no later than two (2) days before the building work commences.
 - b. Submit to Council a Notice of Commencement of Building Work form giving at least two (2) days' notice of the intention to commence building work. The forms can be found on Council's website:
www.centralcoast.nsw.gov.au
- 3.3** Erect a sign in a prominent position on any work site on which building, subdivision or demolition work is being carried out. The sign must indicate:
- a. The name, address and telephone number of the Principal Certifier for the work; and
 - b. The name of the principal contractor and a telephone number at which that person can be contacted outside of working hours; and
 - c. That unauthorised entry to the work site is prohibited
 - d. Remove the sign when the work has been completed.
- 3.4** Submit both a Plumbing and Drainage Inspection Application, with the relevant fee, and a Plumbing and Drainage Notice of Work in accordance with the Plumbing and Drainage Act 2011 (to be provided by licensed plumber). These documents can be found on Council's website at: www.centralcoast.nsw.gov.au
- Contact Council prior to submitting these forms to confirm the relevant fees.
- This condition only applies if installation / alteration of plumbing and / or drainage works proposed (excludes stormwater drainage). This condition does not apply to swimming pool plumbing that does not physically connect / break into the sewer system.
- 3.5** Install run-off and erosion controls to prevent soil erosion, water pollution or the discharge of loose sediment on the surrounding land by:
- a. erecting a silt fence and providing any other necessary sediment control measures that will prevent debris escaping into drainage systems, waterways or adjoining properties, and
 - b. diverting uncontaminated run-off around cleared or disturbed areas, and
 - c. preventing the tracking of sediment by vehicles onto roads, and
 - d. stockpiling top soil, excavated materials, construction and landscaping supplies and debris within the lot

- 3.6** Erect a temporary hoarding or temporary construction site fence between the work site and adjoining lands before the works begin and must be kept in place until after the completion of the works, if the works:
- could cause a danger, obstruction or inconvenience to pedestrian or vehicular traffic, or
 - could cause damage to adjoining lands by falling objects, or
 - involve the enclosure of a public place or part of a public place

Note 1: A structure on public land or on or over a public road requires the prior approval of the relevant authority under the [Local Government Act 1993](#) or the [Roads Act 1993](#), respectively.

Note 2: The [Work Health and Safety Act 2011](#) and [Work Health and Safety Regulation 2011](#) contain provisions relating to scaffolds, hoardings and other temporary structures.

- 3.7** Provide or make available toilet facilities at the work site before works begin and maintain the facilities until the works are completed at a ratio of one toilet plus one additional toilet for every twenty (20) persons employed at the site.

Each toilet must:

- be a standard flushing toilet connected to a public sewer, or
- have an on-site effluent disposal system approved under the [Local Government Act 1993](#), or
- be a temporary chemical closet approved under the [Local Government Act 1993](#)

4. DURING WORKS

- 4.1** All conditions under this section must be met during works.
- 4.2** Carry out construction or demolition works during the construction phase of the development only between the hours as follows:
- 7.00am and 5.00pm Monday to Saturday

No construction or demolition works associated with the development are permitted to be carried out at any time on a Sunday or a public holiday.

- 4.3** During the construction phase of the development, if any Aboriginal object (including evidence of habitation or remains), is discovered during the course of the work:
- All excavation or disturbance of the area must stop immediately in that area, and
 - The Office of Environment and Heritage must be advised of the discovery in accordance with section 89A of the National Parks and Wildlife Act 1974.

Note: If an Aboriginal object is discovered, an Aboriginal heritage impact permit may be required under the National Parks and Wildlife Act 1974.

- 4.4** Implement and maintain all erosion and sediment control measures at or above design capacity for the duration of the construction works and until such time as all ground disturbed by the works has been stabilised and rehabilitated so that it no longer acts as a source of sediment.
- 4.5** Keep a copy of the stamped approved plans on-site for the duration of site works and make the plans available upon request to either the Principal Certifier or an officer of Council.

- 4.6** Notify Council when plumbing and drainage work will be ready for inspection(s) and make the work accessible for inspection in accordance with the Plumbing and Drainage Act 2011.

This condition only applies if installation / alteration of plumbing and / or drainage works proposed (excludes stormwater drainage).

- 4.7** Place all building materials, plant and equipment on the site of the development during the construction phase of the development so as to ensure that pedestrian and vehicular access within adjoining public roads, footpaths and reserve areas, is not restricted and to prevent damage to public infrastructure. Further, no construction work is permitted to be carried out within the road reserve unless the works are associated with a separate approval issued under the provisions of the *Roads Act 1993*.
- 4.8** Re-use, recycle or dispose of all building materials in accordance with the Waste Management Plan submitted with the subject application.
- 4.9** Erect or install prior to the swimming pool being filled with water all the required swimming pool safety barriers and gates in accordance with the approved plans and specifications and the provisions of the *Swimming Pools Act 1992*, *Swimming Pools Regulations 2018* and Australian Standard AS 1926.1-2012 including the display of an approved sign regarding pool safety and resuscitation techniques that contains all of the following information:
- “YOUNG CHILDREN SHOULD BE SUPERVISED WHEN USING THIS SWIMMING POOL”
 - “POOL GATES MUST BE KEPT CLOSED AT ALL TIMES”
 - “KEEP ARTICLES, OBJECTS AND STRUCTURES AT LEAST 900mm CLEAR OF THE POOL FENCE AT ALL TIMES” and
 - A simple flow sequence (which may be the flow sequence depicted in the Cardiopulmonary Resuscitation Guideline) containing details of resuscitation techniques (for infants, children and adults)
- 4.10** Do not fill the swimming pool with water until the common boundary fence forming part of the pool enclosure has been installed with a minimum height of 1.8 metres when measured inside the pool enclosure in accordance with the provisions of Australian Standard AS 1926.1 2012. The maintenance and effectiveness of the fence is the responsibility of the pool owner whilst ever the pool exists.
- Alternatively, the pool must be fully enclosed by swimming pool safety fencing complying with the provisions of Australian Standard AS 1926.1-2012 in lieu of any boundary fencing.
- 4.11** Dispose filter backwash and overflow to the sewer. The sewer connection must be completed prior to the filling of the pool with water and in a manner that will not cause a nuisance, or where sewer is not available, the disposal of filter backwash must be discharged into a rubble absorption trench to the satisfaction of the Principal Certifier.

5. PRIOR TO ISSUE OF ANY OCCUPATION CERTIFICATE

- 5.1** All conditions under this section must be met prior to the issue of any Occupation Certificate.
- 5.2** Submit a Certificate of Compliance for all plumbing and drainage work and a Sewer Service Diagram showing sanitary drainage work (to be provided by licensed plumber) in accordance with the Plumbing and Drainage Act 2011.

This condition only applies if installation / alteration of plumbing and / or drainage works proposed (excludes stormwater drainage).

- 5.3** Complete the building in accordance with the provisions of *Planning for Bush Fire Protection 2019 (NSW)* and the requirements of Australian Standard AS 3959-2018 - *Construction of Buildings in Bush Fire Prone Areas* and additional measures contained within section 7.5.2 – ‘NSW State variations to AS3959’ of *Planning for Bush Fire Protection (2019) (NSW)* for a Bush Fire Attack Level of BAL low.

- 5.4 Complete the building in accordance with the relevant provisions and requirements of the National Construction Code Series.
- 5.5 Install a 2000 litre rainwater tank with suitable plumbing connections provided to collect rainwater from the roof area. The required rainwater tank is to be installed in accordance with the requirements of the National Plumbing and Drainage Code Australian Standard AS 3500.

6. ONGOING OPERATION

- 6.1 Insulate and / or isolate the motor, filter, pump and all sound producing equipment or fitting associated with or forming part of the pool filtering system so as not to create an offensive noise to the occupants of the adjoining premises as defined in the *Protection of the Environment Operations Act 1997*.

7. PENALTIES

- 7.1 Failure to comply with this development consent and any condition of this consent may be a criminal offence. Failure to comply with other environmental laws may also be a criminal offence.

Where there is any breach Council may without any further warning:

- Issue Penalty Infringement Notices (On-the-spot fines);
- Issue notices and orders;
- Prosecute any person breaching this consent, and/or
- Seek injunctions/orders before the courts to retain and remedy any breach.

Warnings as to Potential Maximum Penalties

Maximum Penalties under NSW Environmental Laws include fines up to \$1.1 Million and / or custodial sentences for serious offences.

ADVISORY NOTES

- Discharge of sediment from a site may be determined to be a pollution event under provisions of the *Protection of the Environment Operations Act 1997*. Enforcement action may commence where sediment movement produces a pollution event.
- The following public authorities may have separate requirements in the following aspects:
 - a. Australia Post for the positioning and dimensions of mail boxes in new commercial and residential developments
 - b. Jemena Asset Management for any change or alteration to the gas line infrastructure
 - c. Ausgrid for any change or alteration to electricity infrastructure or encroachment within transmission line easements
 - d. Telstra, Optus or other telecommunication carriers for access to their telecommunications infrastructure
 - e. Central Coast Council in respect to the location of water, sewerage and drainage services
- Carry out all work under this Consent in accordance with SafeWork NSW requirements including the *Workplace Health and Safety Act 2011 No 10* and subordinate regulations, codes of practice and guidelines that control and regulate the development industry.
- Dial Before You Dig
Underground assets may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial Before You Dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures. (This is the law in NSW). If alterations are required to the

configuration, size, form or design of the development upon contacting the Dial Before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial Before You Dig service in advance of any construction or planning activities.

- Telecommunications Act 1997 (Commonwealth)

Telstra (and its authorised contractors) are the only companies that are permitted to conduct works on Telstra's network and assets. Any person interfering with a facility or installation owned by Telstra is committing an offence under the Criminal Code Act 1995 (Cth) and is liable for prosecution. Furthermore, damage to Telstra's infrastructure may result in interruption to the provision of essential services and significant costs. If you are aware of any works or proposed works which may affect or impact on Telstra's assets in any way, you are required to contact: Telstra's Network Integrity Team on phone number 1800 810 443.

- Install and maintain backflow prevention device(s) in accordance with Council's WS4.0 Backflow Prevention Containment Policy. This policy can be found on Council's website: www.centralcoast.nsw.gov.au

This condition only applies if installation / alteration of plumbing and / or drainage works proposed (excludes stormwater drainage).